

Work Order ID 71838

Page 1

Wednesday, July 13, 2011 10:20:21 AM

Item ID:

D3492-3





Setup Start

Stop



Revision ID:

Start Date:

Item Name: Plug

Required Date: 7/28/2011

7/14/2011

Start Qty: 100.00 Reg'd Otv: 100.00



Cust Item ID: Customer:

Reference:

Approvals:

Process Plan: MC

Date: 1-07-13

Tooling:

Date:

Start Run

Reject

Qty



QC:

Revision Nbr

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ **Work Center ID**

Operation Description Set Up/ **Run Hours** Tool ID

Tool # Plan Code

Accept Qty

Reject Number

Insp. Stamp

Draw Nbr D3492

D

100

Hardinge

Hardinge CNC LATHE SMALL

Memo

0.00

0.00

1-Turn as per Folio FA632 & Dwg D3492

Dwg Rev:_ Folio Rev: U/

3

Hardinge CNC Lathe Small

110

QC2- Inspect parts off machine FAI/FAIB

0.00

Quality Control

Memo

QC8- Inspect parts - second check

Memo

0.00

5 1117/25



0.00

120

Quality Control

QC

-41110	oopaot	Liu								
W/O:			V	ORK ORDER CHANG	ES				 	
DATE	STEP	PROC	EDURE CH	IANGE	E	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		·								
Part No	:	PAR #:	_ Fault Ca	tegory:	NCR:	Yes N	o DQ .	A:	Date: _	<u> </u>
	R	esolution:	_ Disposit	ion:	_ QA: N	/C Clos	sed:		Date: _	
NCR:		. W	ORK OR	DER NON-CONFORMA	NCE (I	NCR)				
DATE	STEP	Description of NC Section A	Initial Chief Eng	Corrective Action Section Action Description Chief Eng	S	Sign & Date	Verific Secti	cation on C	Approval Chief Eng	Approval QC Inspector
	:				:					
·								_		

Wednesday, July 13, 2011 10:20:21 AM

Page 2

Item ID:

D3492-3

Accept

Setup Start

Stop



Revision ID:

Item Name: **Start Date:**

Plug

7/14/2011

Start Qty: 100.00 Req'd Qty: 100.00

Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan:

Date: _____ Tooling: Date:

Run

Start

100 \$ BL 11-7-25.

Required Date: 7/28/2011

QC:

Date: _____

SPC (Y/N):

Date:

Stop

Sequence ID/

Work Center ID

HandFinish

Hand Finishing

Operation **Description**

Chemical Conversion Coat per QSI005 4.1

Set Up/ **Run Hours**

0.00

0.00

Tool ID

Code

Tool # Plan

Accept Qty

Reject Qty

Reject Number

Insp. Stamp

\$ BL 11-7-25.

140

130

Powdercoat

Powder Coating

White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum

M117745

Memo

Memo

START TIME: **OVEN TEMPERAT** 0.00

0.00

(Flat End Only)

FINISH TIME:

0.00

100 d Milla (12/20

150

Quality Control

Memo

QC3- Inspect Part Finish

0.00

_		— - - -							
W/O:			W	ORK ORDER CHANGE	S				
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
						,			
									-
Part No	•	PAR #:	Fault Cate	gory:	NCR: Yes	No DQ	A:	Date: _	
	R	esolution:	Dispositio	n:	QA: N/C Clo	osed:		Date: _	
NCR:			WORK ORD	ER NON-CONFORMA	NCE (NCR)			
DATE	STEP	Description of NC		Corrective Action Section		Verific	ation	Approval	Approval
DAIL	JILI	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section	on C	Chief Eng	QC Inspector
1									
						-			
\									1

Work Order ID 71838

Wednesday, July 13, 2011 10:20:21 AM



Page 3

Item ID:

D3492-3

Accept



Setup Start



Revision ID:

Start Date:

Item Name:

Plug

Required Date: 7/28/2011

7/14/2011

Start Oty: 100.00 Req'd Qty: 100.00

Cust Item ID:

Customer:

Reference:

Approvals:

Date:

Tooling:

Date:

Run

Start

Stop

QC:

Process Plan:

Operation

Description

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/

Work Center ID

160

Packaging

Memo

Memo

Set Up/ **Run Hours**

0.00

0.00

Tool ID

Tool # Plan Code

Accept Qty

100

Reject Qty

Reject Insp. Number Stamp

Packaging

170

Quality Control

QC21- Final Inspection - Work Order Release

Identify as per dwg & Stock Location: F7 3

0.00

0.00

M17/26 H)

W/O:			WO	RK ORDER CHANG	ES					
DATE	STEP	PRO	OCEDURE CHAN	IGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	i		•							
								<u> </u>		
Part No	:	PAR #:	Fault Categ	ory:	_ NCF	R: Yes	No DQ	A:	Date: _	
	R	esolution:	Disposition	:	_ QA:	N/C CI	osed:		Date: _	
NCR:			WORK ORDE	R NON-CONFORMA	NCE	(NCR	3)			
DATE	STEP	` Description of NC		Corrective Action Section	on B		Verific	ation	Approval	Approval
DAIL	SIEF	Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date	Secti		Chief Eng	QC Inspector
					·					
				Control (Ph. Control C						
								٠		
	مناهجين ا	-								
1	1						-			

Picklist Print

Wednesday, July 13, 2011 10:20:19 AM

Work Order ID: 71838

D3492-3 Parent Item:

Parent Item Name: Plug



Start Date: 7/14/2011

Required Date: 7/28/2011

Page 1

Start Qty: 100.00

Required Qty: 100.00

Comments:

IPP Rev:A 11.04.19 per dwg revC DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6R0.750		Purchased	No			100	f	51.4830	0.06	6.315789			
										18	11/7	126	

6061-T6 Round Bar .750"

Location	Loc Qty	Loc Code
MAT013	51.483	
112442	0.796	
116406	0.617	
-117481	26.07	
118106	24	

	•								· -
W/O:			W	ORK ORDER CHANG	ES				
DATE	STEP	PRO	OCEDURE CHA	ANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				•					
							1		
Part No	:	PAR #:	Fault Cate	egory:	_ NCR: Yes	No DQ	A:	_ Date: _	
		esolution:							
NCR:			WORK ORD	ER NON-CONFORMA	NCE (NCF	₹)			
DATE	CTED	Description of NC		Corrective Action Section		Verific	cation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign 8 Date		ion C	Chief Eng	QC Inspector
				,					
	i.								
	1					1		1	

DART AEROSPACE LTD	Work Order:	11838
Description: Plug	Part Number:	D3492-3
Inspection Dwg: D3492 Rev: D		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.750	+/-0.010	0.745			213	
Ø0.582	+0.008/-0.001	0.582				
0.045	+0.000/-0.002	044				
0.060	+/-0.005	×061				
0.060	+/-0.005	-060				
0.500	+/-0.010	- 600				
0.090	+0.000/-0.002	1089			,	
				,		
	,					

Measured by:	27	Audited by:	Prelimin	ary Approval:
Date:	11/7/25	Date: _	17-25	Date:

Rev	Date	Change	Revised by	Approved
Α	06.07.07	New Issue P/O D3492-043	KJ/JLM	
В	06.10.16	Ø0.750 was Ø0.625	KJ/JLM	- //
С	08.09.04	Tolerance revised for Ø0.750	KJ/DD , ∧	
D	11.06.21	Dwg Rev updated	KJ 🗫 (

	. Johnson				÷.					
W/O:			V	ORK ORDER CHANG	ES				•	
DATE	STEP	PRO	CEDURE CH	IANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
								j	. 	
		4								
			-	•			· · · · ·			
Part No	:	PAR #:	Fault Ca	tegory:	_ NCR:	Yes N	o DQ	A:	Date:	
	R	esolution:	Disposit	ion:	_ QA: N	WC Clos	sed:		Date: _	
NCR:				DER NON-CONFORMA						
DATE	STEP	Description of NC		Corrective Action Section		<u></u>	Verific	cation	Approval	Approval
DAIL	J, Lr	Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date	Secti	on C	Chief Eng	QC Inspector
						·		3		
					.*-					
·							,			
,										
					:					

D3492-XX PLUG (SEE TABLE)--NAS1611 O-RING (SEE TABLE)

D3492-XXX PLUG PARTS LIST

QTY -041	QTY -043	-045	QTY -047	QTY -049	-051	-053	PART NUMBER	DESCRIPTION
X	I						D3492-041	PLUG ASSEMBLY
	X						D3492-043	PLUG ASSEMBLY
		X					D3492-045	PLUG ASSEMBLY
			X				D3492-047	PLUG ASSEMBLY
	-			X			D3492-049	PLUG ASSEMBLY
					X		D3492-051	PLUG ASSEMBLY
						Х	D3492-053	PLUG ASSEMBLY
1							D3492-1	PLUG
	1						D3492-3	PLUG
		1					D3492-5	PLUG
			1				D3492-7	PLUG
				1			D3492-9	PLUG
					1		D3492-11	PLUG
						1	D3492-13	PLUG
		1					NAS1611-005	O-RING
			1				NAS1611-007	O-RING
1							NAS1611-010	O-RING
						1	NAS1611-012	O-RING
	1						NAS1611-013	O-RING
					1		NAS1611-015	O-RING
				1			NAS1611-016	O-RING

 $\frac{\text{NOTES:}}{\text{1) O-RING: POSSIBLE SUPPLIER P/N: NAS1611-XXX OR PARKER 2-XXX}}$

D	INCORPORATED DEO D3492-C-1. SHT 2 DIM C FOR -1 WAS 0.055. (SEE CAR11-048)	AJS	11.05.24
С	ADD -049/-051/-053, CHANGE DRAWING FORMAT	PH	07.10.05
8	ADD -047; UPDATE DIM A FOR -045	PH	08.05.11
Α	NEW ISSUE	PH	06.01.04
REV.	DESCRIPTION	BY	DATE


DESIGN	_ F/T	∃ DAKIAEKO	DSPACE LID			
DRAWN	AS	HAWKESBURY, ONTARIO, CANADA				
CHECKED	K	DRAWING NO.	REV. D			
MFG. APPR.	JER	D3492	SHEET 1 OF 2			
APPROVED	VA	TITLE	SCALE			
DE APPR.	1] PLUG	2:1			
DATE 11.0	5.24	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOQUERT A SPEAKE AND CONTRIBUTING AND IS SUPPLIED ON THE EXPRESS CONCITON THAT IT IS				


8

5

	•								
W/O:			WO	RK ORDER CHANG	SES			•	•
DATE	STEP	PRO	PROCEDURE CHANGE By				Qty	Approval Chief Eng / Prod Mgr	Approval QC inspector
		·							
Part No:		PAR #:	Fault Category: NCR: Yes No DQA:				Date: _		
Resolution:			Disposition	QA: N/C C	QA: N/C Closed:				
NCR:		,	WORK ORDE	R NON-CONFORM	ANCE (NCI	₹)			
DATE	STEP	Description of NC	Corrective Action Section B		tion B	Verification			Approval
DAIL	Section A		Initial Chief Eng	Action Description Chief Eng		Section C		Chief Eng	QC Inspector

-POWDER COAT THESE FACES ONLY PER NOTE 2





DETAIL D

D3492-XX PLUG

D3492-XX PLUG MACHINING DETAILS

P/N	Α	В	С	MATERIAL SPEC	
D3492-1	0.625	0.394_	0.050	M6061T6R0.625	
D3492-3	0.750	0.582	0.045	M6061T6R0.750	
D3492-5	0.375	0.188	0.045	M6061T6R0.375	
D3492-7	0.500	0.270	0.045	M6061T6R0.500	
D3492-9	0.938	0.750	0.045	M6061T6R1.000	
D3492-11	0.850	0.664	0.045	M6061T6R0.875	
D3492-13	0.750	0.510	0.045	M6061T6R0.750	

NOTES:
1) MATERIAL: ALUMINUM 5052-H32 OR 6061-T6 OR 1100-0 PER QQ-A-225/7 (5052) OR QQ-A-225/8 (6061) OR QQ-A-200/8 (6061) OR QQ-A-225/1 (1100) (REF. DART MATERIAL SPEC M6061T6R0.000)
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT WHITE GLOSS (4.3 5.1) PER DART QSI 005 4.3
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED 4) UNITS: INCHES UNLESS OTHERWISE NOTED 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX 7) WEIGHT: N/A

7) WEIGHT: N/A

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. REV. D D3492 SHEET 2 OF 2 TITLE SCALE **PLUG** 4:1 COPYRIGHT © 2007 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND COMP CENTINE. AND IS SUPPLIED ON THE EXPRESS COMMENT NOT TO BE USED FOR ANY PUPPOSE OF COMMENT ON THE PUPPOSE OF COMMENT OF THE PUPPOSE OF COMMENT OF THE PUPPOSE OF SPORM OWN ARROWANCE LTD.

DESIGN DRAWN CHECKED MFG. APPR. APPROVED DE APPR. DATE 11.05.24

3

8

С

7

6

2

	Jopass									
W/O:			WO	RK ORDER CHANGE	ES					
DATE	STEP	PRO	OCEDURE CHAN	IGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
		•								
								, ,		
Part No: PAR #:		PAR #:	Fault Category: NO			NCR: Yes No DQA: _				
Resolution:			Disposition: Q			QA: N/C Closed:			Date:	
NCR:			WORK ORDE	R NON-CONFORMA	NCE (NC	R)				
DATE	STEP	Description of NC	Corrective Action Section				cation	Approval	Approval	
		Section A	Initial Chief Eng	Action Description Chief Eng	Sign Dat	e Sect	ion C	Chief Eng	QC Inspector	
•										
	·									
	1				.	1				